





LOCK BODY




LOCK BODY




REF:2200

- * BRASS LATCH OPERATED BY HANDLE
- * LOCK AND UNLOCK THE LATCH BY THUMBTURN
- * LOCK AND UNLOCK BY 2 ZAMAK KEYS
- * FINISH: BRASS PLATED, NICKEL PLATED, STAINLESS STEEL




REF:5047

- * FOREND IN ROUND CORNER OR SQUARE CORNER
- * LOCK AND UNLOCK THE LATCH BY THUMBTURN
- * FINISH: BRASS PLATED, NICKEL PLATED, STAINLESS STEEL




REF:5047B

- * WITH A SECURITY SQUARE BAR
- * FOREND IN ROUND CORNER OR SQUARE CORNER
- * FINISH: BRASS PLATED, NICKEL PLATED, STAINLESS STEEL



REF:2025

- * BRASS LATCH BOLT
- * BACKSET: 41MM
- * FOREND: NICKEL PLATED,



REF:99-19N


- * FOREND: STAINLESS STEEL
- * ROUND CORNER OR SQUARE CORNER
- * ZAMAK LATCH WITH ANTI-THEFT FUNCTION OPERATED BY HANDLE



REF:99-19


- * FOREND: STAINLESS STEEL
- * ROUND CORNER OR SQUARE CORNER
- * BRASS LATCH OPERATED BY HANDLE

LOCK BODY




REF:6040

- * WITH EUROPEAN PROFILE CYLINDER 60MM NICKEL PLATED
- * EITHER STEEL DEADBOLT OR BRASS DEADBOLT
- * FOREND IN STEEL BRASS PLATED OR NICKEL PLATED




REF:6040A

- * WITH CROSS KEY CYLINDER WITH 5 KEYS
- * EITHER STEEL DEADBOLT OR BRASS DEADBOLT
- * FOREND IN STEEL BRASS PLATED OR NICKEL PLATED




REF:940A

- * FOREND: IN STEEL BRASS PLATED, NICKEL PLATED, BRASS, STAINLESS STEEL
- * STEEL NICKEL PLATED HOOK BOLT 2 TURNS BACKSET:40MM




REF:6060A

- * FOREND: IN STEEL BRASS PLATED, NICKEL PLATED, BRASS, STAINLESS STEEL
- * STEEL NICKEL PLATED HOOK BOLT 2 TURNS BACKSET:60MM



REF:625



- * WITH CROSS KEY CYLINDER WITH 5 KEYS
- * 2 RODS DEADBOLT 1 TURN
- * FOREND IN STEEL NICKEL PLATED



REF:900A


- * FOREND: IN STEEL NICKEL PLATED
- * WITH 5 CROSS KEYS
- * ZAMAK DEADBOLT BACKSET:44.50MM

LOCK BODY




REF:189-3

- * 5 CROSS KEYS TO OPERATE 3 TURNS DEADBOLT
- * STEEL NICKEL PALTED 3 RODS DEADBOLT
- * ANTI-SAW FUNCTION DEADBOLT AVAILABLE.
- * BACKSET: 50MM
- * FINISH: BRASS PLATED, NICKEL PLATED




REF:189-4

- * 5 CROSS KEYS TO OPERATE 3 TURNS DEADBOLT
- * STEEL NICKEL PALTED 4 RODS DEADBOLT
- * ANTI-SAW FUNCTION DEADBOLT AVAILABLE.
- * BACKSET: 50MM
- * FINISH: BRASS PLATED, NICKEL PLATED




REF:189-4A

- * STEEL NICKEL PALTED 4 RODS DEADBOLT WITH 3 TURNS
- * ANTI-SAW FUNCTION DEADBOLT AVAILABLE.
- * BACKSET: 50MM
- * FINISH: BRASS PLATED, NICKEL PLATED




REF:190-F

- * CROSS KEYS TO OPERATE SQUARE DEAD BOLT WITH 3 TURNS
- * LAMINATED DEADBOLT
- * FOREND: IN STEEL BRASS PLATED OR CHROME PLATED
- * BACKSET: 36.50MM




REF:7011SR

- * BRASS LATCH AND DEAD BOLT
- * FINISH: BRASS PLATED, NICKEL PLATED
- * BACKSET: 40MM




REF:7011SR-3

- * BRASS LATCH AND 3 STEEL RODS DEAD BOLT
- * FINISH: BRASS PLATED, NICKEL PLATED
- * BACKSET: 40MM




REF:410SH

- * WITH 54MM OVAL CYLINDER WITH 3KEYS
- * ZAMAK HOOK BOLT
- * FOREND: STEEL BRASS PLATED, NICKEL PLATED, STAINLESS STEEL
- * BACKSET: 20MM




REF:410SHO

- * WITH CROSS KEY CYLINDER WITH 5 KEYS
- * ZAMAK HOOK BOLT
- * FOREND: STEEL BRASS PLATED, NICKEL PLATED, STAINLESS STEEL
- * BACKSET: 20MM




REF:410SP

- * WITH 54MM OVAL CYLINDER WITH 3KEYS
- * ZAMAK SWING DEADBOLT
- * FOREND: STEEL BRASS PLATED, NICKEL PLATED, STAINLESS STEEL
- * BACKSET: 20MM




REF:410SPO

- * WITH CROSS KEY CYLINDER WITH 5 KEYS
- * ZAMAK SWING DEADBOLT
- * FOREND: STEEL BRASS PLATED, NICKEL PLATED, STAINLESS STEEL
- * BACKSET: 20MM




REF:4123

- * WITH 54MM OVAL CYLINDER WITH 3KEYS
- * LAMINATED SWING HOOK BOLT
- * FOREND COVERED WITH A DECORATION ALUMINIUM PLATE
- * BACKSET: 23MM



REF:5123


- * WITH 54MM OVAL CYLINDER WITH 3KEYS
- * LAMINATED SWING DEADBOLT
- * FOREND COVERED WITH A DECORATION ALUMINIUM PLATE
- * BACKSET: 23MM



L=21MM, 25MM, 30MM, 35MM

REF:8805


- * FOREND: IN STEEL BRASS PLATED, NICKEL PLATED OR STAINLESS STEEL
- * 1 TURN ZAMAK DEADBOLT
- BACKSET: 21MM 25MM 30MM 35MM.



A=21MM, 25MM, 30MM, 35MM


REF:8806

- * BRASS ROLLER LATCH BOLT
- * FOREND: IN STEEL BRASS PLATED, NICKEL PLATED OR STAINLESS STEEL
- * 1 TURN ZAMAK DEADBOLT
- BACKSET: 21MM 25MM 30MM 35mm.




REF:8825

- * FOREND: IN STEEL BRASS PLATED, NICKEL PLATED OR STAINLESS STEEL
- * 1 TURN ZAMAK DEADBOLT
- BACKSET: 25MM, 30MM, 35MM




REF:8829

- * FOREND: IN STAINLESS STEEL
- * 1 TURN BRASS DEADBOLT NICKEL PLATED
- BACKSET: 29MM



REF:2230/2235

- * SWING DEADBOLT
- * FOREND: STAINLESS STEEL
- * BACKSET: 30MM, 35MM



REF:2210


- * SWING DEADBOLT
- * FOREND: STAINLESS STEEL
- * BACKSET: 25MM, 30MM

LOCK BODY




REF:7011

- * LATCH OPERATED BY HANDLE OR KEY, DEADBOLT OPERATED BY CYLINDER
- * BACKSET: 40MM,45MM,50MM




REF:735R

- * LATCH OPERATED BY HANDLE OR CYLINDER, DEADBOLT 2 TURNS OPERATED BY CYLINDER
- * BACKSET: 35MM




REF:7012

- * LATCH OPERATED BY HANDLE OR CYLINDER, DEADBOLT OPERATED BY CYLINDER
- * BACKSET: 40MM,45MM,50MM,60MM




REF:8012

- * BRASS ROLLER LATCH BOLT
- * FOREND: STEEL BRASS PLATED, NICKEL PLATED OR BRASS AND STAINLESS STEEL
- * BACKSET: 40MM,45MM 50MM,60MM




REF:760

- * LATCH OPERATED BY HANDLE OR CYLINDER, DEADBOLT 2 TURNS OPERATED BY CYLINDER
- * 41MM DISTANCE MOUNTING HOLE
- * BACKSET: 60MM




REF:760A

- * LATCH OPERATED BY HANDLE OR CYLINDER, DEADBOLT 2 TURNS OPERATED BY CYLINDER
- * CLOSED TYPE LOCK BODY
- * BACKSET: 60MM




LOCK BODY




REF:745R

- * LATCH OPERATED BY HANDLE OR CYLINDER, DEADBOLT 2 TURNS OPERATED BY CYLINDER
- * BACKSET: 45MM




REF:745R-III

- * LATCH OPERATED BY HANDLE OR CYLINDER, DEADBOLT 2 TURNS OPERATED BY CYLINDER
- * 3 STEEL RODS DEADBOLT IN NICKEL PLATED
- * BACKSET: 45MM




REF:745-2

- * LATCH OPERATED BY HANDLE OR CYLINDER, DEADBOLT 2 TURNS OPERATED BY CYLINDER
- * CLOSED TYPE LOCK BODY
- * BACKSET: 45MM




REF:745R-IIIR

- * LATCH OPERATED BY HANDLE OR CYLINDER, DEADBOLT 2 TURNS OPERATED BY CYLINDER
- * 3 STEEL ANTI-SAW RODS DEADBOLT IN NICKEL PLATED
- * BACKSET: 45MM



REF:7453


- * LATCH OPERATED BY HANDLE OR CYLINDER, DEADBOLT 3 TURNS OPERATED BY CYLINDER
- * BACKSET: 45MM



REF:745-IIIF


- * LATCH OPERATED BY HANDLE OR CYLINDER, 3 SQUARE BRASS BAR DEADBOLT 2 TURNS OPERATED BY CYLINDER
- * 3BRASS SQUARE BAR DEADBOLT
- * BACKSET: 45MM

LOCK BODY




REF:9011

- * FOREND: IN STEEL BRASS PLATED, NICKEL PLATED, POWDER PAINTED
- * BRASS LATCH OPERATED BY EITHER HANDLE OR KEY AND DEADBOLT OPERATED BY CYLINDER
- * BACKSET: 40MM, 45MM




REF:725

- * LATCH OPERATED BY HANDLE OR CYLINDER, DEADBOLT OPERATED BY CYLINDER WITH ROUND CAM
- * BACKSET: 25MM




REF:410

- * FOREND: IN STEEL BRASS PLATED, NICKEL PLATED, POWDER PAINTED
- * HOOK BOLT OPERATED BY EITHER HANDLE OR KEY AND DEADBOLT OPERATED BY CYLINDER
- * BACKSET: 40MM, 45MM




REF:7015

- * LATCH OPERATED BY HANDLE OR CYLINDER, DEADBOLT OPERATED BY CYLINDER
- * BACKSET: 40MM



REF:960

- * FOREND: PAINTED, STEEL BRASS PLATED, NICKEL PLATED
- * BACKSET: 60MM




REF:7015-O

- * BRASS ROLLER LATCH, DEADBOLT OPERATED BY CYLINDER
- * BACKSET: 40MM




REF:C29

- *ZAMAK KEY WITH 6 KEY DIFFERS,
- 2 LEVER INSIDE
- *BACKSET:40MM




REF:735R-1

- * LATCH OPERATED BY HANDLE OR KEY,
- DEADBOLT 2 TRUNS OPERATED BY CYLINDER
- * 2 KEY WITH 6 KEY DIFFERS
- * BACKSET: 35MM




REF:140

- * 2 ZAMAK KEYS WITH 6 DIFFERS
- * COLORFUL ZINC PLATED DEADBOLT & LATCH BOLT
- * BACKSET:40MM




REF:935R-1

- * 2 ZAMAK KEYS WITH 6 DIFFERS
- * FOREND: STEEL BRASS PLATED
- * BACKSET:35MM




REF:1401

- * 2 ZAMAK KEYS WITH 6 DIFFERS
- * STEEL DEADBOLT AND BRASS LATCH BOLT
- *BACKSET:40MM




REF:753

- * LATCH OPERATED BY HANDLE, DEADBOLT OPERATED BY KEY.
- * FOREND: COVERED WITH A ANTIQUE- BRASS BRASS PLATE
- * 2 KEYS IN 6 KEY DIFFERS
- * BACKSET: 55MM




LOCK BODY




REF:7011Y

- * LATCH OPERATED BY HANDLE ONLY, 2 RODS DEADBOLT 2 TURNS OPERATED BY CYLINDER
- * FOREND IN STEEL BRASS PLATED OR NICKEL PLATED
- * BACKSET: 40MM




REF:98-113A

- * FOREND: STEEL BRASS PLATED, NICKEL PLATED
- * BRASS LATCH OPERATED BY HANDLE




REF:7011W

- * LATCH OPERATED BY HANDLE KEY, 3 RODS DEADBOLT 2 TURNS OPERATED OR BY CYLINDER
- * FOREND IN STEEL BRASS PLATED OR NICKEL PLATED
- * BACKSET: 40MM




REF:9010BK

- * FOREND: IN STEEL BRASS PLATED, NICKEL PLATED OR BRASS, STAINLESS STEEL
- * FOLLOWER WITH BALL BEARING
- * BRASS LATCH OPERATED BY EITHER HANDLE OR KEY AND DEADBOLT OPERATED BY KEY.
- * 2 ZAMAK KEYS
- * BACKSET: 40MM




REF:7011C

- * LATCH OPERATED BY HANDLE, 2 RODS DEADBOLT 2 TURNS OPERATED BY THUMBTURN
- * FOREND IN STEEL BRASS PLATED OR NICKEL PLATED
- * BACKSET: 40MM




REF:9010BB

- * FOREND: IN STEEL BRASS PLATED, NICKEL PLATED OR BRASS, STAINLESS STEEL
- * FOLLOWER WITH BALL BEARING
- * BRASS LATCH OPERATED BY HANDLE AND DEADBOLT OPERATED BY THUMBTURN
- * BACKSET: 40MM




REF:M90C

- *FINISH: BP,NP, CP, SNP, SBP, AB, AC
- *FOREND: IN STEEL OR STAINLESS STEEL, ROUND OR SQUARE CORNER
- *LATCH LOCKED AND UNLOCKED BY EURO PROFILE CYLINDER
- *4 KINDS OF STRIKE PLATES FOR CHOICE.




REF:M85C

- *FINISH: BP,NP, CP, SNP, SBP, AB, AC
- *FOREND: IN STEEL OR STAINLESS STEEL, ROUND OR SQUARE CORNER
- *LATCH LOCKED AND UNLOCKED BY EURO PROFILE CYLINDER
- *4 KINDS OF STRIKE PLATES FOR CHOICE.




REF:M90K

- *FINISH: BP,NP, CP, SNP, SBP, AB, AC
- *FOREND: IN STEEL OR STAINLESS STEEL, ROUND OR SQUARE CORNER
- *LATCH LOCKED AND UNLOCKED BY ZAMAK KEY WITH 6 DIFFERS
- *4 KINDS OF STRIKE PLATES FOR CHOICE.




REF:M90B

- *FINISH: BP,NP, CP, SNP, SBP, AB, AC
- *FOREND: IN STEEL OR STAINLESS STEEL, ROUND OR SQUARE CORNER
- *LATCH LOCKED AND UNLOCKED BY THUMBTURN
- *4 KINDS OF STRIKE PLATES FOR CHOICE.



REF:3075




- *FINISH: BP,NP, CP, SNP, SBP, AB, AC
- *FOREND: IN STEEL OR STAINLESS STEEL, ROUND OR SQUARE CORNER
- *LATCH RETRACTED BY HANDLE AND DEADBOLT TURNED BY ZAMAK KEY WITH 6 DIFFERS




REF:3090

- *FINISH: BP,NP, CP, SNP, SBP, AB, AC
- *FOREND: IN STEEL OR STAINLESS STEEL, ROUND OR SQUARE CORNER
- *LATCH RETRACTED BY HANDLE AND DEADBOLT TURNED BY ZAMAK KEY WITH 6 DIFFERS


LOCK BODY





REF:9013


- * FINISH: WHITE PAINTED
- * ROUND CORNER OR SQUARE CORNER
- BACKSET: 40MM



L=40MM, 45MM, 50MM, 55MM, 60MM


REF:9040

- * FOREND: IN STEEL BRASS PLATED, NICKEL PLATED, BRASS, STAINLESS STEEL
- * ROUND CORNER OR SQUARE CORNER
- BACKSET: 40MM, 45MM, 50MM, 55MM, 60MM




REF:9040Y

- * FOREND: IN STEEL BRASS PLATED, NICKEL PLATED, BRASS, STAINLESS STEEL
- * ROUND CORNER OR SQUARE CORNER
- * 2 ZAMAK KEYS IN 6 DIFFERS
- BACKSET: 40MM




REF:9045-III

- * FOREND: IN STEEL BRASS PLATED, NICKEL PLATED, BRASS, STAINLESS STEEL
- * ROUND CORNER OR SQUARE CORNER
- BACKSET: 45MM



REF:8050


- * FOREND: IN STEEL BRASS PLATED, NICKEL PLATED, BRASS, STAINLESS STEEL
- * ROUND CORNER OR SQUARE CORNER
- * LOCKED AND UNLOCK BY CYLINDER
- BACKSET: 50MM, 60MM



REF:9050G


- * FOREND: IN STEEL BRASS PLATED, NICKEL PLATED, BRASS, STAINLESS STEEL
- * ROUND CORNER OR SQUARE CORNER
- * LOCKED AND UNLOCK BY CYLINDER
- BACKSET: 50MM

LOCK BODY




REF:955DX

- * FOREND: IN BRASS, STAINLESS STEEL
- * BRASS OR STAINLESS STEEL LATCH
- * BACKSET: 55MM




REF:955DF

- * FOREND: IN BRASS, STAINLESS STEEL
- * STEEL NICKEL PLATED OR STAINLESS STEEL DEADBOLT 2 TURNS
- * BACKSET: 55MM




REF:955T

- * FOREND: IN BRASS, STAINLESS STEEL
- * BRASS OR STAINLESS STEEL LATCH OPERATED BY EITHER HANDLE OR CYLINDER
- * BACKSET: 55MM, 60MM




REF:955

- * FOREND: IN BRASS, STAINLESS STEEL
- * BRASS OR STAINLESS STEEL LATCH, STEEL NICKEL PLATED OR STAINLESS STEEL DEADBOLT 2 TURNS
- * BACKSET: 55MM, 60MM




REF:955B

- * FOREND: IN BRASS, STAINLESS STEEL
- * BRASS OR STAINLESS STEEL LATCH, STEEL NICKEL PLATED OR STAINLESS STEEL DEADBOLT 1 TURN
- * BACKSET: 55MM, 60MM




REF:9810/9810P

- * FIRE RATED DOOR LOCK
- * AVAILABLE WITH PANIC FUNCTION WHEN EMERGENCY




REF:358-9

- * MATCHED WITH EUROPEAN PROFILE CYLINDER
- * FOREND COVERED WITH A SEPARATE BRASS DECORATING PLATE




REF:358-10

- * MATCHED WITH BRITISH OVAL CYLINDER
- * BRASS DEADBOLT WITH ANTI-DRILL FUNCTION
- * FOREND COVERED WITH A SEPARATE BRASS DECORATING PLATE




REF:358-5

- * MATCHED WITH BRITISH OVAL CYLINDER
- * BRASS DEADBOLT WITH ANTI-DRILL FUNCTION
- * FOREND COVERED WITH A SEPARATE BRASS DECORATING PLATE



REF:358-7

- * BRASS DEADBOLT WITH ANTI-DRILL FUNCTION
- * FOREND COVERED WITH A SEPARATE BRASS DECORATING PLATE




REF:358-8

- * FOREND COVERED WITH A SEPARATE BRASS DECORATING PLATE




REF:9806

- * ANTI-SAW PROTECTION DEADBOLT
- * FOREND: COVERED WITH BRASS PLATE




REF:458

LOCK CASE: STEEL PAINTED
 DIMENSION: 60X110mm.
 LOCK AND UNLOCKED BY KEY BOTH SIDE.
 DEABOLT: STEEL DEABOLT NICKEL OR BRASS PLATED.
 THE POSITION CAN BE CHANGE EASY.
 CYLYNDER: $\Phi 23 \times 40$ mm
 TEST PASS 200.000 TIMES OPERATION (TEST IN HOUSE)




REF:458D

LOCK CASE: STEEL PAINTED
 DIMENSION: 60X110mm.
 LOCK AND UNLOCKED BY KEY BOTH SIDE.
 DEABOLT: STEEL DEABOLT NICKEL OR BRASS PLATED.
 THE POSITION CAN BE CHANGE EASY.
 CYLYNDER: $\Phi 23 \times 40$ mm
 TEST PASS 200.000 TIMES OPERATION (TEST IN HOUSE)



REF:458-02


LOCK CASE: STEEL PAINTED
 DIMENSION: 60X110mm.
 LOCK AND UNLOCKED BY KEY BOTH SIDE.
 DEABOLT: STEEL DEABOLT NICKEL OR BRASS PLATED.
 THE POSITION CAN BE CHANGE EASY.
 CYLYNDER: $\Phi 23 \times 40$ mm
 TEST PASS 200.000 TIMES OPERATION (TEST IN HOUSE)



REF:458D-02


LOCK CASE: STEEL PAINTED
 DIMENSION: 65X110mm.
 LOCK AND UNLOCKED BY KEY BOTH SIDE.
 DEABOLT: STEEL DEABOLT NICKEL OR BRASS PLATED.
 THE POSITION CAN BE CHANGE EASY.
 CYLYNDER: $\Phi 23 \times 40$ mm
 TEST PASS 200.000 TIMES OPERATION (TEST IN HOUSE)

LOCK BODY



REF:2240


- * FIXED CYLINDER, 3 NORMAL KEYS OR 5 COMPUTER KEYS
- * 4 STAINLESS STEEL RODS
- * LATCH UNLOCKED BY KNOB, DEADBOLT LOCKED OR UNLOCKED BY KEY FROM INSIDE OR OUTSIDE.
- * BOTH RIGHT TYPE AND LEFT TYPE AVAILABLE.



REF:4125


- * FIXED CYLINDER, 3 KEYS
- * LOCKED AND UNLOCKED BY KEY FROM OUTSIDE. LATCH UNLOCKED BY PULLER INSIDE DOOR, DEADBOLT LOCKED AND UNLOCKED BY KEY INSIDE DOOR
- * BOTH LEFT AND RIGHT AVAILABLE
- * BACKSET: 40MM, 50MM, 60MM, 70MM

A	B
42	80
50	100
60	120
70	140



REF:458D

- * FIXED CYLINDER, 3 KEYS
- * LOCKED AND UNLOCKED BY KEY FROM BOTH SIDE



REF:458

- * FIXED CYLINDER, 3 KEYS
- * LOCKED AND UNLOCKED BY KEY FROM OUTSIDE DOOR AND BY KNOB FROM INSIDE DOOR



Ricón Trading Sans Europe S.L.
RTS Europe S.L.
Centro Empresarial Miralbuena
Ctra. Madrid, Km 315,700, 2º piso, S-5, Despacho 4
50012 Zaragoza - Spain
+34 976337476
+ 34 678903473 / +34 676980233
comercial@rtseurope.com
www.rtseurope.com